

Contents

Preface	v
Shells and Pearls: Under the Surface	
Y. Dauphin, J.-P. Cuif and B. Farre	1
The Iridescence of Pearls and the Cultured-Pearl Industry	
K. Nagai	19
The Genome of the Japanese Pearl Oyster, <i>Pinctada fucata</i>	
T. Takeuchi, T. Kawashima, R. Koyanagi and N. Satoh.....	37
Novel Shell and Pearl Formation-Related Gene Candidates in the Pearl Oyster <i>Pinctada fucata</i> Retrieved by Comprehensive Gene Expression Analysis for Nacreous and Prismatic Layer-Forming Tissues	
S. Kinoshita, N. Wang, F. Omori, K. Maeyama, K. Nagai, S. Asakawa and S. Watabe	53
Novel Nacreous Layer Formation-Related Genes in the Pearl Oyster Identified by RNA Interference	
D. Funabara, S. Mizutani, A. Ota, Y. Osakabe, S. Kinoshita, F. Ohmori, K. Nagai, K. Maeyama, S. Kanoh and S. Watabe	77
The Carbonic Anhydrase Nacrein Gene of <i>Pinctada fucata</i> : Organization, Correlation of Exons with Functional Domain, and Evolution	
R. Takagi and T. Miyashita	93
Mineral Bridges in Nacre Revisited	
A. G. Checa, J. H. E. Cartwright and M.-G. Willinger	109
Distribution and Role of Intracrystalline Organic Macromolecules in the Pearl Oyster, <i>Pinctada fucata</i>	
T. Kogure, M. Suzuki, N. Yokoo, T. Okumura and H. Nagasawa	125
Mechanism of Nacre Formation in Mollusk Shells: Structure and Function of Organic Matrices	
H. Nagasawa and M. Suzuki	137

‘Shellome’: Proteins Involved in Mollusc Shell Biomineralization— Diversity, Functions F. Marin, B. Marie, S. B. Hamada, P. Silva, N. Le Roy, N. Guichard, S. Wolf, C. Montagnani, C. Joubert, D. Piquemal, D. Saulnier and Y. Gueguen	149
Poly-Alanine Protein Shelk2 from <i>Crassostrea</i> Species of Oysters J. Takahashi, T. Kishida and H. Toyohara	167
Characterization of Molecular Processes Involved in the Pearl Formation in <i>Pinctada margaritifera</i> for the Sustainable Development of Pearl Farming Industry in French Polynesia Y. Gueguen, C. Montagnani, C. Joubert, B. Marie, C. Belliard, A. Tayale, J. Fievet, P. Levy, D. Piquemal, F. Marin, G. Le Moullac, C.-L. Ky, P. Garen, C. Lo and D. Saulnier	183
The Outer Epithelial Cells of Pearl Oyster Mantle—Morphology, Functions, and Primary Culture Methods M. Awaji	195
Recent Research Trend for the Culture of Pearls in Uwa-Sea of Ehime Prefecture, Japan T. Miura, C. Miura, E. Fukushima, T. Iwai, F. T. Celino, N. Watanabe, M. Uehara, H. Ohashi, S. Yoshida, H. Hosokawa, S. Urasaki, K. Kuwayama, Y. Uchimura, K. Sone, K. Odawara and A. Ido	207
Functional Analysis of a Calcium Carbonate-Binding Protein, the Blue Mussel Shell Protein (BMSP), from the Nacreous Layer M. Suzuki, A. Iwashima, N. Tsutsui, T. Ohira, T. Kogure and H. Nagasawa	231
Two Novel Glycine-Rich Proteins Expressed in the Mantle of the Pearl Oyster N. Okumura and H. Miyamoto	239
The Primary Structures of Novel Nacreous Layer Formation-Related Proteins and Their Expression in the Pearl Oyster <i>Pinctada fucata</i> F. Ohmori, S. Kinoshita, H. Koyama, K. Maeyama, K. Nagai, D. Funabara, S. Asakawa and S. Watabe	245
Newly-Developed Technique for Producing Pearls Using Mantle Grafts of Black-Lipped Pearl Oyster (<i>Pinctada margaritifera</i>) in Immunologically Tolerant Akoya Pearl Oyster (<i>Pinctada fucata</i>) E. Fukushima, T. Iwai, C. Miura, N. Watanabe, S. Urasaki, K. Kuwayama, K. Odawara and T. Miura	249

Effect of Temperature and Sunlight on the Visible Fluorescence of Akoya Pearls

J. Hiramatsu, Y. Iwahashi and K. Nagai 255

The Effect of Mantle Extracts and Initial Secretion for Nacreous Layer Formation in *Pinctada fucata martensii*

K. Higuchi, K. Nagai and K. Akasaka 261

High Content of Ceramide Derivatives in the Soft Part Lipids of *Pinctada fucata martensii*

H. Saito 267