

CONTENTS

Preface	A. TAIRA and F. MASUDA	v
CHAPTER 1: SEDIMENTARY PROCESSES		
Architectural Elements and Bounding Surfaces in Channelized Clastic Deposits: Notes on Comparisons between Fluvial and Turbidite Systems.....	A. D. MIALL	3
A Simulation of Basin Margin Sedimentation to Infer Geometry and Lithofacies— A Carbonate Example—	K. NAKAYAMA and C. G. St. C. KENDALL	17
Gravel Fabric of Clast-Supported Resedimented Conglomerate	K. YAGISHITA	33
Magnetic Fabrics and Depositional Processes	A. TAIRA	43
CHAPTER 2: FLUVIAL TO COASTAL FACIES		
Sedimentation in Coarse-Grained Sand-Bedded Meanders: Distinctive Deposition of Suspended Sediment.....	F. ISEYA and H. IKEDA	81
Mechanism of Inverse Grading of Suspended Load Deposits	F. ISEYA	113
Coastal Eolian Dune Deposits of the Pleistocene Shimosa Group in Chiba, Japan	H. NAKAZATO, H. SATO, and F. MASUDA	131
Synsedimentary Conjugate Faults in the Pleistocene Tidal Deposits at Ushibori, Ibaraki, Japan	H. AONO and F. MASUDA	143
Description and Genesis of Tidal Bedding in the Cobequid Bay-Salmon River Estuary, Bay of Fundy, Canada	R. W. DALRYMPLE and Y. MAKINO	151
Petrofacies of Paleo-Tokyo Bay Sands, the Upper Pleistocene of Central Honshu, Japan.....	M. ITO and F. MASUDA	179
Faunal Condensation in Early Phases of Glacio-Eustatic Sea-Level Rise, Found in the Middle to Late Pleistocene Shimosa Group, Boso Peninsula, Central Japan.....	Y. KONDO	197
CHAPTER 3: SHALLOW MARINE FACIES		
Sedimentology and History of Sea Level Changes in the East China Sea and Adjacent Seas	B.-C. SUK	215
Sediments and Sedimentary Processes in the Yellow and East China Seas	J. D. MILLIMAN, Y. S. QIN, and Y. A. PARK	233
Bedforms and Their Migration Patterns in the Southern Bungo Strait, Japan	K. IKEHARA and Y. KINOSHITA	251
The Kuroshio-Generated Bedform System in the Osumi Strait, Southern Kyushu, Japan.....	K. IKEHARA	261
Ocean Current-Controlled Sedimentary Facies of the Pleistocene Ichijiku Forma- tion, Kazusa Group, Boso Peninsula, Japan	N. NAKAYAMA and F. MASUDA	275
Multi-Layered Progradational Sequences in the Shelf and Shelf Slope of the Southwest Japan Forearc.....	Y. OKAMURA	295

Storm-Built Sand Ridges on the Inner Shelf of Kashima-Nada, Northeast Japan Y. SAITO	319
Modern Storm Deposits in the Inner Shelf and Their Recurrence Intervals, Sendai Bay, Northeast Japan..... Y. SAITO	331
Sea-Level Controlled Shallow-Marine Systems in the Plio-Pleistocene Kakegawa Group, Shizuoka, Central Honshu, Japan: Comparison of Transgressive and Regressive Phases..... M. ISHIBASHI	345
Coarse Clastic Sedimentation in the Triassic Offshore Sequence of the South- eastern Kitakami Mountains, Japan K. KAMADA	365
Depositional Facies of the Viséan (Carboniferous) Limestones in the South Kitakami Terrane, Northeast Japan..... T. KAWAMURA	377

CHAPTER 4: SLOPE TO DEEP-WATER FACIES

Depositional Scheme of Neogene Bedded Siliceous Rocks in an Active Upwelling Area—On the Wakkanai Formation, Northern Hokkaido, Japan H. FUKUSAWA	395
Turbidites and Related Clastic Systems in the Tertiary Chichibu Basin, Central Japan..... K. M. LATT	421
Two Stages of Submarine Fan Sedimentation in an Ancient Forearc Basin, Central Japan..... S. TOKUHASHI	439
Synsedimentary Folding of a Sandstone Layer: Paleoslope Deduced from the Folding Process..... M. FUSEYA	469
Miocene Offshore Tractive Current-Worked Conglomerates—Tsubutegaura, Chita Peninsula, Central Japan— T. YAMAZAKI, M. YAMAOKA, and T. SHIKI	483
Coarse Clast Dominant Submarine Debrite, the Mio-Pliocene Fujikawa Group, Central Japan W. SOH	495
Basal Structures of the Pleistocene Chikura Submarine Sliding Sheet in the Southernmost Boso Peninsula, Central Japan..... T. ITO and S. SUGIYAMA	511
Topography and Sedimentary Facies of the Nankai Deep Sea Channel K. SHIMAMURA	529
Ancient Trench-Fill and Trench-Slope Basin Deposits: An Example from the Permian Nishiki Group, Southwest Japan..... A. HARA and K. KIMINAMI	557
Tectono-Sedimentary Settings of Seep Biological Communities—A Synthesis from the Japanese Subduction Zones— K. FUJIOKA and A. TAIRA	577

CHAPTER 5: VOLCANIC FACIES

Sedimentary Facies of the Mio-Pliocene Volcanotectonic Depressions along the Volcanic Front in Northeast Honshu, Japan M. UTADA and T. ITO	605
Submarine Depositional Processes for Volcaniclastic Sediments in the Mio- Pliocene Misaki Formation, Miura Group, Central Japan..... W. SOH, A. TAIRA, Y. OGAWA, H. TANIGUCHI, K. T. PICKERING, and D. A. V. STOW	619

CHAPTER 6: TECTONICS AND SEDIMENTATION

Upper Cretaceous—Paleogene Kuji Basin of Northeast Japan: Tectonic Controls on Strike-Slip Basin Sedimentation K. MINOURA and H. YAMAUCHI	633
The Itsukaichimachi Group: A Middle Miocene Strike-Slip Basin-Fill in the Southeastern Margin of the Kanto Mountains, Central Honshu, Japan..... M. ITO	659
Structural Control on Sedimentation of Coal-Bearing Formations in Japan	

.....	K. FUJII	675
Coarse-Grained Turbidite Sedimentation Resulting from the Miocene Collision Event in Central Hokkaido, Japan.....	K. HOYANAGI	689
Eocene Foreland Thrust-Fold Belt of the Central Ryukyu Island Arc: Deduced from Sedimentary Structures in the Kayo Formation	H. UJIE	711
Rifting of the Gondwanaland and Uplifting of the Himalayas Recorded in Mesozoic and Tertiary Fluvial Sediments in the Nepal Himalayas	H. SAKAI	723