

原著論文

1. Kenji Kobayashi, Yosinobu Takata, and Masaaki Kodama: Direct contact between *Pseudo-nitzschia multiseriata* and bacteria is necessary for the diatom to produce a high level of domoic acid. *Fish. Sci.*, **75**, 771-776 (2009).
2. Ha Viet Dao, Yoshinobu Takata, Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Frequent occurrence of the tetrodotoxin-bearing horseshoe crab *Carcinoscorpius rotundicauda* in Vietnam. *Fish. Sci.*, **75**, 435-438 (2009).
3. Yoshinobu Takata, Shigeru Sato, Dao Viet Ha, Ulysses M. Montojo, Thaithaworn Lirdwitayaprasit, Somporn Kamolsiripichaiporn, Yuichi Kotaki, Yasuwo Fukuyo, and Masaaki Kodama: Occurrence of domoic acid in tropical bivalves. *Fish. Sci.*, **75**, 473-480 (2009).
4. Ha Viet Dao, Yoshinobu Takata, Takuo Omura, Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Seasonal variation of domoic acid in a bivalve *Spondylus versicolor* in association with that in plankton samples in Nha Phu Bay, Khanh Hoa, Vietnam. *Fish. Sci.*, **75**, 507-512 (2009).
5. Dao Viet Ha, Yoshinobu Takata, Takuo Omura, Nguyen Tien Dung, Nguyen Thu Hong, Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Domoic acid in small-sized plankton in Nha Phu Bay, Khanh Hoa Province, Vietnam. *La Mer*, **46**, 117-120 (2009).
6. Jeen Hee Lee, Hidehiro Kondo, Shigeru Sato, Seiji Akimoto, Toshio Saito, Masaaki Kodama, and Shugo Watabe: Identification of novel genes related to tetrodotoxin intoxication in pufferfish. *Toxicon*, **49**, 939-953 (2007).
7. Ulysess M. Montojo, Sakamoto Setsuko, Mirriam F. Cayme, Norvida C. Gatdula, Elsa F. Furio, Juan R. Relox, Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Remarkable difference in accumulation of paralytic shellfish poisoning toxins among bivalve species exposed to *Pyrodinium bahamense* var. *compressum* bloom in Masinloc bay, Philippines. *Toxicon*, **48**, 85-92 (2006).
8. Dao, Viet.Ha., Yoshinobu Takata., Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Domoic acid in a bivalve *Spondylus cruentus* in Nha Trang Bay, Khanh Hoa Province, Vietnam. *Coast. Mar. Sci.*, **30**, 130-132 (2006).
9. Nyen TM Huyen, Chu V. Thuoc, Takehiko Ogata, Shigeru Sato, Yoshinobu Takata, Masaaki Kodama, and Yasuwo Fukuyo: Seasonal variation of paralytic and amnesic shellfish toxicities in bivalves and microalgae in Haiphong area, Vietnam. *Coast. Mar. Sci.*, **30**, 111-115 (2006).

10. Yuichi Kotaki,., Elsa F. Furio, Fe F. Bajaras, Masayuki Satake, Nina Lundholm, Kazuhiko Koike, Shigeru Sato, Yasuwo Fukuyo and Masaaki Kodama: New stage of the study on domoic acid-producing diatoms-A finding of *Nitzschia navis-varingica* that produces domoic acid derivatives as major toxin components. *Coast. Mar. Sci.*, **30**, 116-120 (2006).
11. Fe F. Bajaras, Yuichi Kotaki, Y., Juan R. Relox, Juan R. Relox, Elsa F. Furio, Masayuki Satake, Nina Lundholm, Kazuhiko Koike, Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Screening of diatoms producing domoic acid and its derivatives in the Philippines. *Coast. Mar. Sci.*, **30**, 121-129 (2006).
12. Yuichi Kotaki, Elsa F. Furio, Masayuki Satake, Nina Lundholm, Tatsuki Katayama, Kazuhiko Koike, Virgilio P. Fulgueras, Fe F. Bajaras, Yoshinobu Takata, Kenji Kobayashi, Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Production of isodomoic acids A and B as major toxin components of a pennate diatom *Nitzschia navis-varingica*. *Toxicon*, **4**, 946-953 (2005).
13. Yuichi Kotaki, Nina Lundholm, Hideyuki Onodera, Kenji Kobayashi, Fe F. Bajaras, Elsa F. Furio, Mitsunori Iwataki, Yasuwo Fukuyo and Masaaki Kodama: Wide distribution of *Nitzschia navis-varingica*, a new domoic acid-producing benthic diatom found in Vietnam. *Fish. Sci.*, **70**, 28-32 (2004).
14. Kenji Kobayashi, Atsushi Kobiyama, Yuichi Kotaki, and Masaaki Kodama: Possible occurrence of intracellular bacteria in *Pseudo-nitzschia multiseriata*, a causative diatom of amnesic shellfish poisoning. *Fish. Sci.*, **6**, 974-978 (2003).
15. Masaaki Kodama, Jeen Hee Lee, Shigeharu Kinoshita, Shigeru Sato, Takehiko Ogata, Tomoyasu Nishizawa, Makoto Shirai, Yuzuru Shimizu, and Shugo Watabe: DNA cloning of peptide synthetase from cyanobacterium *Aphanizomenon flos-aquae*. *Fish. Sci.*, **68** (Suppl. 1), 621-622 (2002).
16. Fe F. Bajaras, Elsa F. Furio, Cielito L. Gonzales, Setsuko Sakamoto, Yasuwo Fukuyo, and Masaaki Kodama: Localizing PSP monitoring in the Philippines: a management option. *Fish. Sci.*, **68** (Suppl. 1), 519-522 (2002).
17. 坂本達也, 児玉正昭 : マフグ *Takifugu porphyreus* に腹腔内接種した炭素粒子の組織内分布. *水産増殖*, **50**, 381-382 (2002).
18. Katuji Sekiguchi, Takehiko Ogata, Shinnosuke Kaga, Makoto Yoshida, Yasuwo Fukuyo, and Masaaki Kodama: Accumulation of paralytic shellfish toxins in the scallop *Patinopecten yessoensis* caused by the dinoflagellate *Alexandrium catenella* in Otsuchi Bay, Iwate Prefecture, northern Pacific coast of Japan. *Fish. Sci.*, **67**, 1157-1162 (2001).
19. Katsuji Sekiguchi, Shigeru Sato, Shinnosuke Kaga, Takehiko Ogata, and Masaaki

- Kodama: Accumulation of paralytic shellfish poisoning toxins in bivalves and an ascidian fed on *Alexandrium tamarense* cells. *Fish. Sci.*, **67**, 301-305 (2001).
20. Katuji Sekiguchi, Shigeru Sato, Takehiko Ogata, Shinnosuke Kaga, and Masaaki Kodama: Accumulation and depuration kinetics of paralytic shellfish toxins in the scallop *Patinopecten yessoensis* fed *Alexandrium tamarense*. *Mar. Ecol. Prog. Ser.*, **220**, 213-218 (2001).
21. Arnulf Marasigan, Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Accumulation of a high level of diarrhetic shellfish toxins in the green mussel *Perna viridis* during a bloom of *Dinophysis caudata* and *Dinophysis miles* in Sapien Bay, Panay Island, the Philippines. *Fish. Sci.*, **67**, 994-996 (2001).
22. Shigeru Sato, Ryuichi Sakai, and Masaaki Kodama: Identification of thioether intermediates in the reductive transformation of gonyautoxins into saxitoxins by thiols. *Bioorg. Med. Chem. Lett.*, **10**, 1787-1789 (2000).
23. Shigeru Sato, Takehiko Ogata, Valeriano Borja, Cielito Gonzales, Yasuwo Fukuyo, and Masaaki Kodama: Frequent occurrence of paralytic shellfish poisoning toxins as dominant toxins in marine puffer from tropical water. *Toxicon*, **38**, 1101-1109 (2000).
24. R. Groben, Gregory J. Doucette, M. Kopp, Masaaki Kodama, R. Amann, and Linda K. Medlin: 16S rRNA targeted probes for the identification of bacterial strains isolated from cultures of the toxic dinoflagellate *Alexandrium Tamarense*. *Microb. Ecol.*, **39**, 186-196 (2000).
25. Makoto Yoshida, Takehiko Ogata, Chu V. Thuoc, Kazumi Matsuoka, Yasuwo Fukuyo, Nyen C. Hoi, and Masaaki Kodama: The first finding of toxic dinoflagellates *Alexandrium minutum* in Vietnam. *Fish. Sci.*, **66**, 177-179 (2000).
26. Setsuko Sakamoto, Shigeru Sato, Takehiko Ogata, and Masaaki Kodama: Formation of intermediate conjugates in the reductive transformation of gonyautoxins to saxitoxins by thiol compounds. *Fish. Sci.*, **66**, 136-141 (2000).
27. Yuichi Kotaki, Kazuhiko Koike, Makoto Yoshida, Chu V. Thuoc, Nyen TM Huyen, Nyen C. Hoi, Yasuwo Fukuyo, and Masaaki Kodama: Domoic acid production in *Nitzschia* sp (Bacillariophyceae) isolated from a shrimp-culture pond in So Son, Vietnam. *J. Phycol.*, **36**, 1057-1060 (2000).
28. Yuichi Kotaki, Kazuhiko Koike, Shigeru Sato, Takehiko Ogata, Yasuwo Fukuyo, and Masaaki Kodama: Confirmation of domoic acid production of *Pseudo-nitzschia multiseriis* isolated from Ofunato Bay, Japan. *Toxicon*, **37**, 677-682 (1999).
29. Kazuhiko Koike, Shigeru Sato, Mikinari Yamaji, Yukio Nagahama, Yuichi Kotaki, Takehiko Ogata, and Masaaki Kodam: Occurrence of okadaic acid-producing *Prorocentrum lima* on the Sanriku coast, northern Japan. *Toxicon*, **36**(12), 2039-2042

- (1998).
30. Shigeru Sato, Takehiko Ogata, and Masaaki Kodama: Trace amounts of saxitoxins in the viscera of chum salmon *Oncorhynchus keta*. *Mar. Ecol. Prog. Ser.*, **175**, 295-298 (1998).
 31. M. Kopp, Gregory J. Doucette, Masaaki Kodama, G. Gerdt, C. Schutt, and Linda K. Medlin: Phylogenetic analysis of selected toxic and non-toxic bacterial strains isolated from the toxic dinoflagellate *Alexandrium tamarense*. *FEMS Microbiol. Ecol.*, **24**, 251-257 (1997).
 32. Shigeru Sato, Masaaki Kodama, Takehiko Ogata, Kriengsak Saitanu, Mami Furuya, Kazuo Hirayama, and Katsumi Kakinuma : Saxitoxin as a toxic principle of a freshwater puffer, *Tetraodon fangi*, in Thailand. *Toxicon*, **5**, 137-140 (1997).
 33. Masaaki Kodama, Shigeru Sato, Setsuko Sakamoto, and Takehiko Ogata: Occurrence of tetrodotoxin in *Alexandrium tamarense*, a causative dinoflagellate of paralytic shellfish poisoning. *Toxicon*, **34**, 1101-1105 (1996).
 34. Jose C. deFreitas, Takehiko Ogata, Carolina H. Veit, and Masaaki Kodama: Occurrence of tetrodotoxin and paralytic shellfish toxins in *Phallusia nigra* (Tunicata, Ascidiacea) from the Brazilian coast. *J. Venom Anim. Toxins*, **2**(1), 28-38 (1996).
 35. Yoshiko Murata, Erika Yamakawa, Taketoshi Iizuka, Hiroko Kodama, Toshiaki Abe, Yukio Seki, and Masaaki Kodama: Failure of copper incorporation into ceruloplasmin in the golgi apparatus of lec rat hepatocytes. *Biochem. Biophys. Res. Commun.*, **209**(1), 349-355 (1995).
 36. Jose C. Freitas, Shigeru Sato, Takehiko Ogata, and Masaaki Kodama: Guanidine neurotoxins are released with the digestive fluid of crabs (Crustacea, Brahyura). *Toxicon*, **33**(2), 201-208 (1995).
 37. Takehiko Ogata, Masaaki Kodama, Setsuzo Nomura, Masayuki Kobayashi, Ttsunenori Nozawa, Tetsuya Katoh, and Mamoru Mimuro : A novel peridinin-chlorophyll a protein (PCP) from the marine dinoflagellate *Alexandrium cohorticula*: a high pigment content and plural spectral forms of peridinin and chlorophyll a. *FEBS Lett.*, **356** (2-3), 367-371 (1994).
 38. Hiroko Kodama, Toshiaki Abe, Michiho Takama, Ichiro Takahashi, Masaaki Kodama, and Mamahiro Nishimura : Histochemical localization of copper in the intestine and kidney of macularmice: light and electron microscopic study. *J. Histochem. Cytochem.*, **41**(10), 1529-1535 (1993).
 39. Setsuko Sakamoto, Takehiko Ogata, Shigeru Sato, Masaaki Kodama, and Terifumi Takeuchi: Causative organism of paralytic shellfish toxins other than toxic dinoflagellates. *Mar. Ecol. Prog. Ser.*, **89**, 229-235 (1992).

40. Shigeru Sato, Takehiko Ogata, and Masaaki Kodama: Accumulation of tetrodotoxin by marine snail *Neptunea arthritica* through tetrodotoxin-containing diet. *Nippon Suisan Gakkaishi*, **57**, 315-318 (1991).
41. Wisessang Suchana, Takehiko Ogata, Masaaki Kodama, Yasuwo Fukuyo, Takashi Ishimaru, Kriengsuk Saitanu, Tikamporn Yongvanich, and Twesuk Piyakarnchana: Accumulation of paralytic shellfish toxins by green mussel *Perna viridis* by feeding on cultured cells of *Alexandrium cohorticula* isolated from the Gulf of Thailand. *Nippon Suisan Gakkaishi*, **57**, 127-131 (1991).
42. Masaaki Kodama, Takehiko Ogata, Shigeru Sato, and Setsuko Sakamoto: Possible association of marine bacteria with paralytic shellfish toxicity of bivalves. *Mar. Ecol. Prog. Ser.*, **61**, 203-206 (1990).
43. Shigeru Sato, Keiichi Komaru, Takehiko Ogata, and Masaaki Kodama: Occurrence of tetrodotoxin in cultured puffer. *Nippon Suisan Gakkaishi*, **56**, 1129-1131 (1990).
44. Takehiko Ogata, Pornsilp Pholpunthin, Yasuo Fukuyo, and Masaaki Kodama: Occurrence of *Alexandrium cohorticula* in Japanese coastal water. *J. Appl. Phycol.*, **2**, 351-356 (1990).
45. Masaaki Kodama, Takehiko Ogata, Setsuko Sakamoto, Shigeru Sato, Takeshi Honda, and Toshio Miwatani : Production of paralytic shellfish toxins by a bacterium *Moraxella* sp. isolated from *Protogonyaulax tamarensis*. *Toxicon*, **28**, 707-714 (1990).
46. Masaaki Kodama: Possible association of marine bacteria with paralytic shellfish toxicity of bivalves. *Mar. Ecol. Prog. Ser.*, **61**, 203-206 (1990).
47. Takehiko Ogata, Shigeru Sato, and Masaaki Kodama: Paralytic shellfish toxins in bivalves which are not associated with dinoflagellates. *Toxicon*, **27**, 1241-1244 (1988).
48. Masaaki Kodama and Takehiko Ogata: New insights into shellfish toxins. *Mar. Poll. Bull.*, **19**, 559-564 (1988).
49. Masaaki Kodama, Takehiko Ogata, Yasuwo Fukuyo, Takashi Ishimaru, Suchana Wisessang, Kriengsuk Saitanu, Vimon Panichyakarn, and Twesuk Piyakarnchana: *Protogonyaulax cohorticula*, a toxic dinoflagellate found in the Gulf of Thailand. *Toxicon*, **26**, 707-712 (1988).
50. Masaaki Kodama, Takehiko Ogata, and Shigeru Sato: Bacterial production of saxitoxin. *Agric. Biol. Chem.*, **52**, 1075-1077 (1988).
51. Masaaki Kodama and Takehiko Ogata: Toxication of bivalves by paralytic shellfish toxins. *Asia Pacific J. Pharmacol.*, **3**, 99-109 (1988).
52. Takehiko Ogata, Masaaki Kodama, and Takashi Ishimaru : Toxin production in the

- dinoflagellate *Protogonyaulax tamarensis*. *Toxicon*, **25**, 923-928 (1987).
53. Takehiko Ogata, Takashi Ishimaru, and Masaaki Kodama: Effect of water temperature and light intensity on growth rate and toxicity change in *Protogonyaulax tamarensis*. *Mar. Biol.*, **95**, 217-220 (1987).
54. Masaaki Kodama, Takehiko Ogata, Yasuo Fukuyo, Takashi Ishimaru, Pornsilp Pholpunthin, Suchana Wisessang, Kriengsuk Saitanu, Vimom Panikiyakarn, and Tuwesuk Piyakarnchana : Non-toxic strains *Protogonyaulax tamarensis* (Lebour) Taylor (Dinophyceae) in the Gulf of Thailand. *Nippon Suisan Gakkaishi*, **53**, 1491 (1987).
55. Takehiko Ogata and Masaaki Kodama: Ichthyotoxicity found in cultured media of *Protogonyaulax* spp. *Mar. Biol.*, **92**, 31-34 (1986).
56. Masaaki Kodama, Shigeru Sato, Takehiko Ogata, Yuzuru Suzuki, Toyoji Kaneko, and Katsumi Aida: Tetrodotoxin secreting glands in the skin of puffer fishes. *Toxicon*, **24**, 819-829 (1986).
57. Hiroko Kodama, Seiji Yamaguchi, Ichiro Okabe, Masaaki Kodama, Tadao Orii, and Shigehiko Kamoshita : Renal effects of dichloroacetate in vivo. *Clinica Chimica Acta*, **160**, 265-271 (1986).
58. Masaaki Kodama, Takehiko Ogata, and Shigeru Sato: External secretion of tetrodotoxin from puffer fishes stimulated by electric shock. *Mar. Biol.*, **87**, 199-202 (1985).
59. Masaaki Kodama and Takehiko Ogata: Toxicity of a fresh water puffer *Tetrodon leiurus*. *Bull. Japan. Soc. Sci. Fish.*, **50**, 1949-1951 (1984).
60. 児玉正昭, 緒方武比古, 中村豊郎 : ト畜血液加水分解物の調味液への応用. *日本食品工業学会誌*, **31**, 384-388 (1984).
61. Masaaki Kodama, Takehiko Ogata, Kawamukai K, Yasukatsu Oshima and Takeshi Yasumoto: Toxicity of muscle and other organs of five species of puffer collected from the Pacific coast of Tohoku area of Japan. *Bull. Japan. Soc. Sci. Fish.*, **50**, 703-706 (1984).
62. Masaaki Kodama, Takehiko Ogata, Tamao Noguchi, Jun-ichi Maruyama, and Kanehisa Hashimoto: Occurrence of saxitoxin and other toxins in the liver of the puffer fish *Takifugu pardalis*. *Toxicon*, **21**, 897-900 (1983).
63. Masaaki Kodama, Tamao Noguchi, Jun-ichi Maruyama, Takehiko Ogata, and Kanehisa Hashimoto: Release of terodotoxin and paralytic shellfish poison from puffer liver by RNase. *J. Biochem.*, **93**, 243-247 (1983).
64. Nobuhiro Fusetani, Hisashi Endo, Kanehisa Hashimoto, and Masaaki Kodama: Occurrence and properties of toxins in the horseshoe crab *Carcinoscorpius*

- rotundicauda*. *Toxicon*, **21** (Suppl., **3**), 165-168 (1983).
65. Masaaki Kodama and Takehiko Ogata: Acrylic acid, as an antibacterial substance in scallop. *Bull. Japan. Soc. Sci. Fish.*, **49**, 1103-1107 (1983).
66. Masaaki Kodama, Takehiko Ogata, and Fumio Matsuura: Comparison of biliproteins in the ovaries of marine snails. *Bull. Japan. Soc. Sci. Fish.*, **49**(5), 751-755 (1983).
67. Masaaki Kodama: High molecular precursor of paralytic poisons. *Toxicon*, **21** (Suppl., **3**), 233-236 (1983).
68. Masaaki Kodama, Takehiko Ogata, Y. Takahashi, T. Niwa, Toshio Igarashi, and Fumio Matsuura: Gonyautoxin associated with RNA-containing fraction in the toxic scallop digestive gland. *J. Biochem.*, **92**, 105-109 (1982).
69. Masaaki Kodama, Yasuwo Fukuyo, Takehiko Ogata, Toshio Igarashi, Hisao Kamiya, and Fumio Matsuura: Comparison of toxicities of *Protogonyaulax* cells of various sizes. *Bull. Japan. Soc. Sci. Fish.*, **48**, 567-571 (1982).
70. Takehiko Ogata, Masaaki Kodama, Yasuwo Fukuyo, Takeshi Inoue, Hisao Kamiya, Fumio Matsuura, Katsuji Sekiguchi, and Shoji Watanabe: The occurrence of *Protogonyaulax* spp. in Ofunato Bay, in association with the toxification of the scallop *Patinopectein yessoensis*. *Bull. Japan. Soc. Sci. Fish.*, **48**, 563-566 (1982).
71. Yasukatsu Oshima and Masaaki Kodama: Features of paralytic shellfish poison occurring in Tohoku district. *Bull. Japan. Soc. Sci. Fish.*, **48**, 525-530 (1982).
72. Masaaki Kodama, Takehiko Ogata, and Katsumi Yamamori: Acute toxicity of zinc to rainbow trout *Salmo gairdneri*. *Bull. Japan. Soc. Sci. Fish.*, **48**, 1055-1058 (1982).
73. Masaaki Kodama, Takehiko Ogata, and Yamamori K : Hemolysis of erythrocytes of rainbow trout *Salmo gairdneri* exposed to zinc polluted water. *Bull. Japan. Soc. Sci. Fish.*, **48**, 593 (1982).
74. Masaaki Kodama, Kanehisa Hashimoto, and Fumio Matsuura: Studies on the haptoglobulin of eel –IV. Binding behavior haptoglobin with hemoglobun (2). *Bull. Japan. Soc. Sci. Fish.*, **42**, 857-861 (1976).
75. Masaaki Kodama, Kanehisa Hashimoto, and Fumio Matsuura: Studies on the haptoglobulin of eel –III. Binding behavior of haptoglobin with hemoglobin (1). *Bull. Japan. Soc. Sci. Fish.*, **42**, 507-515 (1976).
76. 佐藤美和, 佐藤 実, 児玉正昭, 土屋靖彦: 褐藻ウルシグサ *Desmarestia* sp. に関する研究 –I. *Desmarestia ligulate* の酸性成分について. *日水誌*, **42**, 51-56 (1976).
77. Masaaki Kodama, Kanehisa Hashimoto, and Fumio Matsuura: Studies on the haptoglobulin of eel –II. Physicochemical properties. *Bull. Japan. Soc. Sci. Fish.*,

41, 1021-1025 (1975).

78. Masaaki Kodama, Kanehisa Hashimoto, and Fumio Matsuura: Studies on the haptoglobulin of eel -I. Purification of haptoglobulin. *Bull. Japan. Soc. Sci. Fish.*, **41**, 1015-1019 (1975).

国際学会プロシーディングス等

1. Juan R. Relox, Thaitaworn Lirdwitayaprasit, Yuichi Kotaki, Nina Lundholm, Juan R. Relox, Elsa F. Furio, Terada R, Yokoyama T, Masaaki Kodama, and Yasuo Fukuyo: Isolation of ASP Toxin-producing *Nitzschia* from Thailand. *Mar. Res. Indonesia*, **33**(2), pp.225-228 (2008).
2. Masaaki Kodama, Yoshinobu Takata, Ulysess Montojo, Masayuki Shinbo, and Shigeru Sato: New Approach in the Study on Bacteria Origin of Saxitoxin. Taiwan-Japan International Symposium on Marine Biotechnology and Its Application, pp.1-3 (2005).
3. Ulysess M. Montojo, Setsuko Sakamoto, Elsa F. Furio, Norvida C Gatduda, Valeriano Borja, Formelosa MA, Yoshida M, Yasuo Fukuyo, Takehiko Ogata and Masaaki Kodama: Occurrence of Three Species of Toxic Ddinoflagellates in Manila Bay, Philipinnes. Proceedings of the First Joint Seminar on Coastal Oceanology, Nitithamyong, C.(ed.), Chulalongkorn University, p.277 (2004).
4. Fe F. Bajaras, Ulysess Montojo, Juan R. Relox, Shigeru Sato, Masaaki Kodama, and Yasuo Fukuyo: Paralytic Shellfish Poisoning Due to *Alexandrium minutum halim* in Northwestern Philippines. Proceedings of the First Joint Seminar on Coastal Oceanology, Nitithamyong, C.(ed.), Chulalongkorn University, p.278 (2004).
5. Yuichi Kotaki, Elsa F. Furio, Fe F. Bajaras, Kazuhiko Koike, Masaaki Kodama, and Yasuo Fukuyo: Domoic Acid Production by Pennate Diatoms Isolated from the Philippines and Japan. Proceedings of the First Joint Seminar on Coastal Oceanology, Nitithamyong, C. (ed.), Chulalongkorn University, p.282 (2004).
6. Nining B. Prihantini, Masaaki Kodama, Shigeru Sato, and Yasuo Fukuyo: Preliminary Study on Potentially Harmful Cyanobacteria in Some Lakes and Rivers of Jakarta, Indonesia. Proceedings of the First Joint Seminar on Coastal Oceanology, Nitithamyong, C. (ed.), Chulalongkorn University, p.282 (2004).
7. Dao Viet Ha and Masaaki Kodama: Screening of PSP Toxins in Marine Animals from Vietnamese Coastal Waters. Proceedings of the First Joint Seminar on Coastal Oceanology, Nitithamyong, C. (ed.), Chulalongkorn University, p.284 (2004).
8. Kenji Kobayashi, Yoshinobu Takata (Kurusu), Atsushi Kobiyama, Yuichi Kotaki, Shigeru Sato, and Masaaki Kodama : Possible Association of Bacteria with Domoic

- Acid Production of *Pseudo-nitzschia multiseries*, A Causative Diatom of Amnesic Shellfish Poisoning. Proceedings of the First Joint Seminar on Coastal Oceanology, Nitithamyong, C. (ed.), Chulalongkorn University, p.284 (2004).
9. Shigeru Sato, Hiroki Aburatani, Naoto Hongo, Akiko Kotoda, Takeshi Hayashi, and Masaaki Kodama: Thiolether Intermediates in the Reductive Transformation of Paralytic Shellfish Toxins -Applications and Biological Role. Proceedings of the First Joint Seminar on Coastal Oceanology, Nitithamyong, C.(ed.), Chulalongkorn University, p.286 (2004).
 10. Yasuwo Fukuyo, Ichiro Imai, Masaaki Kodama, and Kyoichi Tamai: Red Tides and Other Harmful Algal Blooms in Japan. Harmful Algal Blooms in the PICES Region of the North Pacific, PICES Scientific Report, 23, pp.7-20 (2002).
 11. Nyura N. Wiadnyana, Tumpak Sidabutar, Kazumi Matsuoka, Tadashi Ochi T, Masaaki Kodama, and Yasuwo Fukuyo: Note on the Occurrence of *Pyrodinium bahamense* in Eastern Indonesian Waters. Harmful and Toxic Algal Blooms. Intergovernmental Oceanographic Commission of UNESCO (Paris), Yasumoto T, Oshima Y and Fukuyo Y (eds.), pp.53-56 (1996).
 12. Yuichi Kotaki, Kazuhiko Koike, Takehiko Ogata, Shigeru Sato, Yasuwo Fukuyo, and Masaaki Kodama: Domoic Acid Production by An Isolate of *Pseudonitzschia multiseries*, A Possible Cause for the Toxin Detected in Bivalves in Ofunato Bay, Japan. Harmful and Toxic Algal Blooms, Intergovernmental Oceanographic Commission of UNESCO (Paris), Yasumoto T, Oshima Y and Fukuyo Y (eds.), pp.151-154 (1996).
 13. Shigeru Sato, Kazuhiko Koike, and Masaaki Kodama: Seasonal Variation of Okadaic Acid and Dinophysin-toxin-I in *Dinophysis* spp.in Association with the Toxicity of Scallop. Harmful and Toxic Algal Blooms, Intergovernmental Oceanographic Commission of UNESCO (Paris), Yasumoto T, Oshima Y and Fukuyo Y (eds.), pp.285-288 (1996).
 14. Takehiko Ogata, Kazuhiko Koike, Setsuzo Nomura, and Masaaki Kodama: Utilization of Organic Substances for Growth and Toxin Production by *Alexandrium tamarense*. Harmful and Toxic Algal Blooms, Intergovernmental Oceanographic Commission of UNESCO (Paris), Yasumoto T, Oshima Y and Fukuyo Y (eds.), pp.343-346 (1996).
 15. Masaaki Kodama, Setsuko Sakamoto, and Kazuhiko Koike: Symbiosis of Bacteria in *Alexandrium tamarense*. Harmful and Toxic Algal Blooms, Intergovernmental Oceanographic Commission of UNESCO (Paris) Yasumoto T, Oshima Y and Fukuyo Y (eds.), pp.351-354 (1996).

16. Tatsuya Kikuchi, Maho Sato, Yoshimasa Kaga, Keiichi Sato, Shigeru Sato, Takehiko Ogata, and Masaaki Kodama: Secondary Contamination of Scallops by Ingestion of PSP Toxins in the Feces of Adjacent Highly Toxic Scallops. Harmful and Toxic Algal Blooms, Intergovernmental Oceanographic Commission of UNESCO (Paris), Yasumoto T, Oshima Y and Fukuyo Y 1996 (eds.), pp.413-415 (1996).
17. Masaaki Kodama, Hiroshi Shimizu, Shigeru Sato, Takehiko Ogata, and Kiyoshi Terao: Infection of Bacteria in the Liver Cells of Toxic Puffer: A Possible Cause for Organisms to be Made Toxic by Tetrodotoxin in Association with Bacteria. Harmful Marine Algal Blooms Arzul G, Deen EE-L, Gentien P, Baut CM-L (eds.), pp.457-462 (1995).
18. Vimon Phanichyakarn, Suchana Wisessang, Tuwesuk Piyakarnchana, Yasuwo Fukuyo, Takashi Ishimaru, Masaaki Kodama, and Takehiko Ogata: Ultrastructure of *Alexandrium cohorticulam* Found in the Gulf of Thailand, Toxic Phytoplankton Blooms in the Sea. Smayda TJ, Shimizu Y (eds.) , Developments in Marine Biology, **3**, 165-168 (1993).
19. Masaaki Kodama, Shigeru Sato, and Takehiko Ogata: *Alexandrium tamarense* as A Source of Tetrodotoxin in the Scallop *Patinopecten yessoensis*. Toxic Phytoplankton Blooms in the Sea. Smayda TJ, Shimizu Y (eds.) , Developments in Marine Biology, **3**, 401-406 (1993).
20. Suchana Wisessang, Vimon Phanichyakarn, Tuwesuk Piyakarnchana, Yasuwo Fukuyo, Takashi Ishimaru, Masaaki Kodama, and Takehiko Ogata: Scanning Electron Microscope Study of *Alexandrium cohorticula*. A Toxic Dinoflagellate from the Gulf of Thailand. Toxic Phytoplankton Blooms in the Sea, Smayda TJ, Shimizu Y (eds.), Developments in Marine Biology, **3**, 191-195 (1993).
21. Shigeru Sato, Takehiko Ogata, and Masaaki Kodama: Wide Distribution of Toxins with Sodium Channel Blocking Activity Similar to Tetrodotoxin and Paralytic Shellfish Toxins in Marine Animals. Toxic Phytoplankton Blooms in the Sea, Smayda TJ, Shimizu Y (eds.), Developments in Marine Biology, **3**, 429-434 (1993).
22. Yasuwo Fukuyo, Masaaki Kodama, Takehiko Ogata, Takashi Ishimaru, Kazumi Matsuoka, Tomotoshi Okaichi, Amelia M. Maala, and Jose A. Ordonez: Occurrence of *Gymnodinium catenatum* in Manila Bay, the Philippines. Toxic Phytoplankton Blooms in the Sea, Smayda TJ, Shimizu Y (eds.), Developments in Marine Biology, **3**, 875-880 (1993).
23. Takehiko Ogata and Masaaki Kodama: Peridinin-chlorophyll a-proteins of Toxic Dinoflagellates. Toxic Phytoplankton Blooms in the Sea, Smayda TJ, Shimizu Y (eds.), Developments in Marine Biology, **3**, 901-905 (1993).

24. Setsuko Sakamoto, Shigeru Sato, Takehiko Ogata, and Masaaki Kodama: Field Survey of Bivalve Toxicity Associated with Toxicity of Different Particle Sizes in Seawater. Toxic Phytoplankton Blooms in the Sea, Smayda TJ, Shimizu Y (eds.), Developments in Marine Biology, **3**, 913-917 (1993).
25. Jose C. deFreitas, Takehiko Ogata, Carolina H. Veit, and Masaaki Kodama: Occurrence of Guanidine Neurotoxins in *Ascidia nigra* (Tunicata, Ascidiacea). Recent Advances in Toxinology Research Vol.2, P. Gopalakrishnakone, CK Tan (eds.), The Venom & Toxin Research Group, National University of Singapore, pp.541-547 (1992).
26. Takehiko Ogata, Masaaki Kodama, Keiichi Komaru, Setsuko Sakamoto, Shigeru Sato, and Ushio Simidu: Production of Paralytic Shellfish Toxins by Bacteria Isolated from Toxic Dinoflagellates. Toxic Marine Phytoplankton, E. Graneli, B. Sundstrom, and L. Edier et al. (eds.), Elsevier, Amsterdam, pp.311-315 (1990).
27. Pornsilp Pholpunthin, Suchana Wisessang, Takehiko Ogata, Yasuwo Fukuyo, Masaaki Kodama, Takashi Ishimaru, and Tuwesuk Piyakarnchana: Coexistence of Toxic and Nontoxic Strains of *Alexandrium tamarense* in the Gulf of Thailand. Proceeding of The Second Asian Fisheries Forum, Tokyo, Japan, 17-22 April, 1989, R. Hirano and I. Hanyu (eds), Asian Fisheries Society, Manilla, pp.903-906 (1990)
28. Masaaki Kodama, Takehiko Ogata, and Shigeru Sato: Saxitoxin-producing Bacterium Isolated from *Protogonyaulax tamarensis*. Red Tides: Biology, Environmental Science, and Toxicology, Okaichi, Anderson, and Nemoto (eds.), Elsevier Sci. Pub. Co., Inc., New York, pp.363-366 (1989).
29. Katsuji Sekiguchi, Nobuyuki Inoguchi, Michihiko Shimizu, Shigeru Saito, Shoji Watanabe, Takehiko Ogata, Masaaki Kodama, and Yasuo Fukuyo: Occurrence of *Protogonyaulax Tamarensis* and Shellfish Toxicity in Ofunato Bay from 1980-1986. Red Tides: Biology, Environmental Science, and Toxicology, Okaichi, Anderson, and Nemoto (eds.), Elsevier Sci. Pub. Co., Inc. Amsterdam, pp.399-402 (1989).
30. Takehiko Ikeda, Susumu Matsuno, Shigeru Sato, Takehiko Ogata, Masaaki Kodama, Yasuo Fukuyo, and Takayama H: First Report on Paralytic Shellfish Poisoning Caused by *Gymnodinium catenatum* Graham (Dinophyceae) in Japan. Red Tides: Biology, Environmental Science, and Toxicology, Okaichi, Anderson, and Nemoto (eds.), Elsevier Sci, Pub. Co., Inc., Amsterdam, pp.411-414 (1989).
31. Takehiko Ogata, Masaaki Kodama, and Takashi Ishimaru: Effect of Water Temperature and Light Intensity on Growth Rate and Toxin Production of Toxic Dinoflagellates. Red Tides: Biology, Environmental Science, and Toxicology, Okaichi, Anderson, and Nemoto (eds.), Elsevier Sci. Pub. Co., Inc., Amsterdam,

- 1989, pp.423-426 (1989).
32. Cathaline WY Lam, Masaaki Kodama, Chan DKO, Takehiko Ogata, Shigeru Sato, and Ho KC: Paralytic Shellfish Toxicity in Shellfish in Hong Kong. Red Tides: Biology, Environmental Science, and Toxicology Okaichi, Anderson, and Nemoto (eds.), Elsevier Sci. Pub. Co., Inc., New York, pp.455-458 (1989).
 33. Yasuo Fukuyo, Yoshida K, Takehiko Ogata, Ishimaru T, Masaaki Kodama, Pornsilp Pornsilp Pholpunthin, Suchana Wisessang, Vimon Phanichayakarn, and Tuwesuk Piyakarnchana: Suspected Causative Dinoflagellates of Paralytic Shellfish Poisoning in the Gulf of Thailand. Red Tides: Biology, Environmental Science, and Toxicology Okaichi, Anderson, and Nemoto (eds.), Elsevier Sci. Pub. Co. Inc., Amsterdam, pp.403-406 (1989).
 34. Takashi Ishimaru, Terufumi Takeuchi, Yasuo Fukuyo, and Masaaki Kodama: The Selenium Requirement of *Gymnodinium nagasakiense* Red Tides: Biology, Environmental Science, and Toxicology, Okaichi, Anderson, and Nemoto (eds.), Elsevier Sci. Pub. Co., Inc., Amsterdam, pp.357-360 (1989).
 35. Masaaki Kodama: Possible Association of Paralytic Shellfish Toxins-producing Bacteria with Bivalve Toxicity. Bioactive Molecules Vol.10, Mycotoxins and Phycotoxins '88, S. Natori, K. Hashimoto, and Y. Ueno (eds.), Elsevier, Sci. Pub. Co., Inc., Amsterdam, pp.391-398 (1989).
 36. Shigeru Sato, Takehiko Ogata, Masaaki Kodama, and Kazuhiro Kogure: Determination of Paralytic Shellfish Toxins by Neuroblast Culture Assay. Proceedings of the Japanese Association of Mycotoxicology, Special Issues No.1, Aibara et al. (eds.), Japan. Assoc. Mycotoxicol., Tokyo, pp.3-4 (1988).
 37. Jose C. de Freitas, Takehiko Ogata, Shigeru Sato, and Masaaki Kodama: The Occurrence of Tetrodotoxin and Paralytic Shellfish Toxins in Macroalgae from the Brazilian Coast. Proceedings of Japanese Association of Mycotoxicology, Special issues No.1, Aibara et al. (eds.), Japan. Assoc. Mycotoxicol., Tokyo, pp.29-30 (1988).
 38. Takashi Ishimaru, Inoue H, Yasuo Fukuyo, Takehiko Ogata, and Masaaki Kodama: Cultures of *Dinophysis fortii* and *D. acuminata* with the Cryptomonad, *Plagioselmis* sp. Proceedings of Japanese Association of Mycotoxicology, Special issues No.1, Aibara et al. (eds.), Japan. Assoc. Mycotoxicol., Tokyo, pp.19-20 (1988).
 39. Sutichai Tamiyavanich, Masaaki Kodama, and Yasuo Fukuyo: The Occurrence of Paralytic Shellfish Poisoning in Thailand. Toxic Dinoflagellates, D.M. Anderson, A.W. White, and D.G. Baden (eds.), Elsevier Science Pub. Co., Inc., New York, pp. 521-524 (1985).

著書・総説

1. Masaaki Kodama: Paralytic Shellfish Poisoning Toxins, Biochemistry and Origin. Aqua-BioScience Monographs, Vol.3, Terrapub, Tokyo, pp.1-38, 2010.
2. 児玉正昭: 食の安全科学の展開: 食のリスク予測と制御に向けて. 海洋生物毒の謎 (東京大学食の安全研究センター編). シーエム出版, 東京, pp.28-35, 2010.
3. Masaaki Kodama and Shigeru Sato: Metabolism of Paralytic Shellfish Toxins Incorporated into Bivalves. *In Seafood and Freshwater Toxins. Pharmacology, Physiology, and Detection* (ed. by Botana, LM), CRC Press, pp.165-176, 2008.
4. Masaaki Kodama, GJ Doucette, and DH Green: Relationships between Bacteria and Harmful Algae. *In Ecology of Harmful Algae* (ed. by Graneli, NA and Turner, JT), Springer-Verlag, Berlin, pp.243-255, 2006.
5. 児玉正昭, 佐藤 繁: 世界で問題となっている貝毒の状況と特性. *養殖*, **43**, 24-27 (2006).
6. 児玉正昭, 佐藤 繁: フグ毒. 食品衛生検査指針-理化学編, 公定試験法・標準試験法詳解. 厚生労働省監修, 日本食品衛生協会, pp.661-666, 2005.
7. 児玉正昭, 小瀧裕一: 記憶喪失性貝毒 (ドウモイ酸) . HPLC-UV 分析法. 食品衛生検査指針-理化学編, 公定試験法・標準試験法詳解, 厚生労働省監修, 日本食品衛生協会, pp. 666-673, 2005.
8. Shigeru Sato and Masaaki Kodama: Chemical and Biological Transformation of Paralytic Shellfish Poisoning Toxins, *In Recent Advances in Marine Biotechnology*, Vol 8 (ed. by Fingerman, M and Nagabhushanam, R), Plymouth Science Publishers, pp.319-335, 2002.
9. 児玉正昭, 佐藤 繁: 麻痺性貝毒とチオール化合物の複合体-有毒渦鞭毛藻の捕食による貝類の毒化機構に新たな視点. *化学と生物*, **39**, 502-503 (2001).
10. 福代康夫, 児玉正昭, 緒方武比古: 有毒微細藻類. *月刊海洋*, **33**(10), 685-688 (2001).
11. 児玉正昭: 麻痺性貝毒成分の化学と生物学. *月刊海洋*, **33**(10), 705-709 (2001).
12. Masaaki Kodama: Ecobiology, Classification, and Origin, *In Seafood and Freshwater Toxins* (ed. by Botana, LM), Part IV Paralytic Shellfish Poisoning (PSP). 6. Ecobiology, Classification, and Origin, Marcel Dekker, Inc., New York, pp.125-149, 2000.
13. Gregory J. Doucette, Masaaki Kodama, Susana Franca, and Susan Gallacher: Bacterial Interactions with Harmful Algal Bloom Species. Bloom Ecology, Toxigenesis, and Cytology. *In Physiological Ecology of Harmful Algal Blooms* (ed.

by Anderson, DM, Cembella AD, and Hallegraeff, GM), NATO, ASI Series G41, Springer-Verlag, Berlin, pp.619-647, 1998.

14. 児玉正昭：有毒渦鞭毛藻の内生細菌による麻痺性貝毒の生産. *化学と生物*, **25**, 696-697 (1987).
15. 佐藤 繁, 坂本節子, 緒方武比古, 植田至範, 児玉正昭: 貝類毒化モニタリングの現状と問題点. *沿岸海洋研究ノート*, **32**, 69-79 (1994).
16. Masaaki Kodama: Possible Links between Bacteria and Toxin Production in Algal Blooms. *Toxic Marine Phytoplankton*, E. Graneli, B. Sundtrom, L. Edler, and D. E. Anderson (eds.), Elsevier, Amsterdam, pp.52-61 (1990).
17. 児玉正昭: 貝毒の種類と検査法. *臨床検査*, **33**, 1701-1705 (1989).
18. 児玉正昭: 生体防御物質としてのフグ毒. *フグ毒研究の最近の進歩*, 水産学シリーズ 70, 橋本周久 (編), 東京, 恒星社厚生閣, pp.106-112 (1988).
19. 児玉正昭: フグ表皮からのテトロドトキシンの分泌. *化学と生物*, **23**, 690-692, 1985.

関連特許

1. 佐藤 繁, 児玉正昭：麻痺性貝毒成分の変換方法, 特許公開 2006-98293, 2006.4.13.
2. 児玉正昭, 佐藤 繁, 佐藤雅彦：抗麻痺性貝毒抗体およびその製造方法, 特願平 11-152116 (H11.5.31), 特開 2000-344799 (H12.12.12).
3. 児玉正昭, 佐藤 繁：新規のサキシトキシン誘導体およびその製造方法. 特願平 10-91797 (H10.4.3), 特開平 11-292880 (H11.10.26), 登録番号: 特許第 4289694 号.

以上